



HOSPITALITY FACILITIES GUIDE PAINTING SPECIFICATIONS

09 91 23 Interior Painting
09 91 13 Exterior Painting
August 2020

If you have any questions regarding Behr Painting Specifications,
please contact specs@behr.com.



Paint
Company

1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

GUIDE INDEX

Finish Coats	3-4
Surface Preparation	4-5
Project Conditions for Painting Exterior Surfaces	5

INTERIOR PAINT SYSTEMS

Guest Rooms and Suites	6-8
Wood	8-9
Guest Bathrooms	10
Lobby and Common Areas	8-9
Corridors and Hallways	11-13
Ballrooms, Conference and Meeting Rooms	13-14
Conference Center Bathrooms	14-16
Restaurants, Bars and Lounges	16-18
Hotel Kitchen	18-19
Fitness Center Facility and Indoor Pool Area	19-20
Concrete Floors	20-21
Wood, Interior Stained and Transparent Finishes	21
Wood, Interior Clear Transparent Finishes	21

EXTERIOR PAINT SYSTEMS

Concrete and Masonry	22
Stucco and Cement Plaster	22
Fiber Cement	22
Concrete Masonry Units (CMU)	23
Wood, Wood Composites	24
Ferrous Metal: Steel and Wrought Iron	24
Non-Ferrous Metal: Galvanized Metal, Aluminum and Brass	24-25

BEHR® PAINT PRODUCTS

The Painting Schedule outlined in this guide is not all inclusive of available Behr® Paint and Kilz® products. Architects and specifiers may adapt and make changes, which are suitable for specific commercial projects and their requirements. BEHR® and KILZ® Coatings in this guide comply with established local, state, and E.P.A. VOC content regulations, including South Coast Air Quality Management District (SCAQMD) Rule 1113. Behr® Paints help projects earn LEED® v4.1 credits, and are Master Painters Institute® (MPI) listed and approved, which meet MPI Green Performance® Standards.

FINISH COATS

BEHR® COPPER FORCE™ Interior Paints are EPA-registered virucidal and antibacterial paints. This 100% acrylic paint & primer kills 99.9% of viruses [SARS-CoV-2 and Feline calicivirus (EPA proxy for Human Noroviruses)] and bacteria [Staphylococcus aureus (Staph) and Pseudomonas aeruginosa] within two hours of contact on the painted surface and lasts for up to six years. EPA Reg. No. 32273-10. It maintains its virucidal and anti-bacterial performance after repeated washings and contamination. Eggshell and Semi-Gloss finishes are available for gypsum board, concrete, masonry, wood, metal, and plastic substrates.

BEHR ULTRA™ SCUFF DEFENSE™ Interior Paints set a new standard for flat paint durability. **SCUFF DEFENSE™ Stain-Blocking Paint & Primer in One** featuring breakthrough innovation to deliver superior scuff and burnish resistance that are truly durable for high-traffic areas. Available in Flat, Eggshell, Satin and Semi-Gloss finishes.

BEHR PREMIUM PLUS® Interior Paints are a line of premium interior paints that provide durable and washable finishes. They also have low odor, and excellent touch-up properties. Available in Flat, Eggshell Satin, Semi-Gloss and Hi-Gloss sheens.

BEHR PRO® i300 Series Interior Paints are a top-line professional quality latex paints, which provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Eggshell and Semi-Gloss finishes.

BEHR PRO® Pre-Catalyzed Waterborne Epoxy is a single-component acrylic epoxy coating designed for interior and exterior use in USDA inspected commercial, institutional, and industrial facilities. This product provides exceptional adhesion as well as resistance to abrasion, stains, and most chemicals making it ideal for high maintenance areas subject to frequent cleaning. Available in **Eggshell** and **Semi-Gloss** sheens.

BEHR PREMIUM® Porch & Patio Floor Paint is an interior/exterior latex paint designed to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking, and peeling for horizontal applications. Available in **Low Lustre** and **Gloss** sheens.

BEHR PREMIUM® Porch & Patio Anti-Slip Floor Paint is a 100% acrylic textured low-lustre enamel that is ideal for interior/exterior applications on wood and concrete porches, patios, pool decks and walkways to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking, and peeling for horizontal applications.

BEHR PREMIUM PLUS® Exterior Paints are a line of premium exterior paints that provides a mildew-resistant finish with excellent durability and hide. It resists moisture, fading, and staining. Available in Flat, Satin, Semi-Gloss and Gloss sheens.

BEHR PRO®e600 Series Exterior Paints are a top-line, professional quality exterior paints that provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Satin® and Semi-Gloss sheens.

BEHR PREMIUM® Exterior High Build Coating is formulated as a self-priming coating over concrete and masonry surfaces. It is a flexible, long-lasting smooth waterproofing coating that withstands wind-driven rain up to 98 mph and may be applied directly to "HOT" masonry surfaces with pH levels up to 13. This coating also provides a breathable film that has up to 350% elongation.

BEHR PRO® Exterior Acrylic Texture Coating - Medium is specifically designed to provide a textured flat finish on properly prepared interior and exterior above-grade surfaces. This product minimizes defects and irregularities found on concrete and masonry surfaces. It provides a mildew resistant finish on the paint film. Performance data confirms its Resistance to Wind-Driven Rain (ASTM D6904). Not for use on horizontal surfaces (floors, roofs, decks).

BEHR PREMIUM® Protector & Waterproofer is an interior/exterior water-based waterproofer formulated with silicone to penetrate into the surface to help keep water out and shield against salt damage and corrosion. This product also reduces staining caused by mold and mildew and ensures greater durability of the surface.



[BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer](#) is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences & siding. It is available in a curated collection of 60 color choices designed to help create a look that is as beautiful as it is durable.

[BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer](#) is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences, and siding. It forms an exceptionally durable and mildew-resistant finish that resists scuffing, cracking, peeling, and blistering.

[BEHR® Fast-Drying Water-Based Wood Stain](#) is designed for easy application and workability to interior wood surfaces such as cabinets, trim, doors, paneling, furniture and floors. This product provides superior color control, one-coat coverage and lower odor than oil-based stains.

[BEHR® Fast-Drying Water-Based Polyurethane](#) is designed to provide a crystal clear, self-leveling smooth finish that protects and beautifies interior wood. This product has less odor than oil-based finishes and resists stains and scratches. Ideal for bare or stained furniture, molding, cabinets, trim and wood doors. Available in matte, satin, semi-gloss and gloss sheens.

[BEHR® Water-Based Spar Urethane](#) is designed to provide a durable clear protective finish for exterior and interior wood surfaces. This finish is fortified with UV inhibitors for wood exposed to direct sunlight such as handrails and doors.

[MONOCHEM PERMASHIELD® 200*](#) is an advanced two-component water-based, aliphatic polyurethane that exhibits outstanding film hardness and excellent resistance against abrasion, chemicals, stains, direct/ reverse impacts, and ultraviolet light. When applied with a full broadcast of silica sand #30 over concrete, the coating provides a coefficient of friction (ASTM C1028) of 0.76 (wet) and 0.89 (dry). It is low odor and low VOC. Available in matte and high gloss, and in clear or colors.

*MONOPOLE, Inc., MONOCHEM PERMASHIELD 200 is not manufactured by Behr Paint Company. It is offered as an outsourced product in the BEHR PRO® third-party product program. Behr Paint Company is an authorized Distributor for Monopole, Inc., Los Angeles, California.

PRIMERS AND SEALERS

[BEHR® Drywall Plus Interior Primer & Sealer, 73](#) is fast-drying and seals uncoated and previously painted interior drywall, wallboard, plaster, wood and brick to promote a uniform finish for topcoats. This 100% acrylic, low VOC formula is ideal for use under lower sheen paints and has excellent hiding properties for topcoat products.

[BEHR® Kitchen, Bath & Trim Interior Stain-Blocking Primer & Sealer, 75](#) promotes excellent adhesion to glossy surfaces and provides maximum stain resistance in a multi-purpose stain-blocking Zero VOC formula. It creates a uniform surface finish for improved hiding, adhesion and flow and leveling of topcoats. Intended for drywall, wood, plaster, concrete, CMU, brick, vinyl and non-ferrous metals. This acrylic latex film is mildew resistant and also suitable for sizing walls to install wallcovering.

[BEHR® Interior/Exterior Bonding Primer, 432](#) is specifically formulated to bond to a variety of 'tough-to-paint' surfaces. Its advanced chemistry provides a sound anchor for topcoats while reducing or potentially eliminating the need for sanding dense and glossy surfaces. This product may be used under epoxies, lacquers, products containing xylene or other hot solvents.

[BEHR® Interior/Exterior Metal Primer 435](#) is a rust-inhibitive primer that can be applied over clean and sound rusty metal surfaces while preventing corrosion with minimal surface preparation. This innovative water-based primer features fast dry time, low odor and easy clean-up.

[BEHR® Multi-Surface Interior/Exterior Stain-Blocking Primer & Sealer, 436](#) blocks medium to heavy stains and has excellent adhesion to multiple substrates. It offers corrosion and rust resistant properties to ferrous and non-ferrous metals. This low VOC product also provides a high-hide, mildew-resistant primer film with quick recoat time and can be applied to masonry surfaces with a pH level up to 13.

[BEHR Acrylic-Alkyd Enamel Undercoater 437](#) is a Low VOC water-based, alkyd primer that has excellent tannin stain-blocking and outstanding flow and leveling for wood. It provides great sandability and is designed for use under higher sheen paints on interior and exterior surfaces. This high-hide product also offers corrosion and rust resistant properties to properly prepared ferrous metal.

[BEHR PREMIUM® Concrete & Masonry Bonding Primer 880](#) is a high performance, water-based prep product designed specially to promote optimum adhesion to interior and exterior concrete and masonry surfaces.

[BEHR PRO® Block Filler Primer PR50](#) is an interior / exterior latex low VOC primer formulated to fill and seal porous masonry surfaces, reduce pinholing and help produce a smooth and even topcoat for a uniform, professional quality finish.

GENERAL SURFACE PREPARATION

Clean surfaces to receive paint thoroughly of substances, which could impair adhesion of paints, including dust, dirt, oil, grease and other contaminants before application of any coatings and stains. Prepare surfaces as follows:

WOOD: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming. Prime exterior and interior woods with a water-based, stain-blocking primer.

LAMINATE AND FIBERGLASS REINFORCED PLASTIC (FRP)

Remove grease, oil and dirt to achieve a clean, dry and slightly roughened surface before priming with a water-based bonding primer to increase proper adhesion.

CONCRETE, PRECAST CONCRETE and CONCRETE TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence, and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with a water-based alkali-resistant primer.

PLASTER and STUCCO: Fill hairline cracks, small holes, and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Rinse plaster and stucco with fresh water to neutralize high alkaline surfaces where they occur. Apply a water-based, stain-blocking, alkali-resistant primer.

MASONRY: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant masonry primer.

SHOP-PRIMED STEEL: Solvent clean according to SSPC-SP1. Remove loose primer and rust, contaminants, and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.

STEEL, FERROUS METAL: Remove rust, mill scale, foreign substances, and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Apply a stripe coat of primer to edges, welds, fasteners, and other irregular areas. Protect surface from corrosion until application of water-based, rust-inhibitive metal primer, recommended at the completion of surface preparation.

GALVANIZED METAL: Remove oils, passivators and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings. Prime with a water-based galvanized metal primer.

PHOSPHATIZED METAL or GALVANNEALED METAL shall not be chemically etched. Clean to remove grease, oil and dirt. Apply a water-based rust-inhibitive metal primer.

ALUMINUM: Solvent clean according to SSPC-SP1. Remove loose surface oxidation. Prime with a water-based bonding primer intended for aluminum.

GYPSUM BOARD: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and where required, apply skim coat to provide the required Level of Finish. Apply suitable patching compound to repair gauges, holes, and voids. Sand smooth and clean to a dust free surface.

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage, especially in children. Pregnant women should also avoid exposure. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Center at 1-800-424-LEAD or log on to www.epa.gov/lead.

PROJECT CONDITIONS FOR PAINTING EXTERIOR SURFACES

Do not apply paint or coatings when temperature is below 50°F (unless otherwise noted). Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.

INTERIOR PAINT SCHEDULE (09 91 23 INTERIOR PAINTING)

GUEST ROOMS AND SUITES

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Enamel Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Enamel Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Satin Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Enamel Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)



Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Satin Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Satin Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR Premium Plus® Interior Semi-Gloss Enamel (3050)

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Galvanized-Metal: Aluminum, and Miscellaneous Non-Ferrous Metals

Light Industrial Coating: Low Odor/ VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Anodized Aluminum:

Light Industrial Coating: Low Odor/ VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

GUEST BATHROOMS

Gypsum Board and Plaster: Walls

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete: Walls

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior /Exterior Bonding Primer (432)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



LOBBY AND COMMON AREAS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre- Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

CORRIDORS AND HALLWAYS

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)



Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor /Zero VOC Finish

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Satin Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Light Industrial Coating: Low Odor/VOC

Eggshell Finish:

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Galvanized-Metal: Aluminum, and Miscellaneous Non-Ferrous Metals

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish (virucidal and antibacterial paint)

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)



Semi-Gloss Finish (virucidal and antibacterial paint)

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

BALLROOMS, CONFERENCE AND MEETING ROOMS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Enamel Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Flat Enamel Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Ferrous Metal – Doors, Door Frames, Hand Rail and Miscellaneous Metals

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)



Latex, Institutional, Low Odor/VOC Finish

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Anodized Aluminum:

Light Industrial Coating: Low VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- First Coat: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CONFERENCE CENTER BATHROOMS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Concrete and Pre- Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

RESTAURANTS, BARS AND LOUNGES

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Eggshell Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Eggshell Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units (CMU) – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Ferrous and Non-Ferrous Metal – Doors, Door Frames, Handrails, Miscellaneous Metal

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

HOTEL KITCHEN

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units (CMU) – Walls Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

FITNESS CENTER FACILITY AND INDOOR POOL AREA

Gypsum Board – Walls (Dry Areas, Closets, Locker Rooms, Restrooms, Storerooms)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Gypsum Board – Walls (Wet Areas, Not Showers)

High Performance Architectural: Low Odor/VOC (Wet Areas)

Eggshell Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings (Wet Areas, Not Showers)

High Performance Architectural: Low Odor/VOC (Wet Areas)

Eggshell Finish: Waterborne Epoxy

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Semi-Gloss Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Walls (Wet Areas, Not Showers)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units – Walls (Wet Areas, Not Showers)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler Primer (PR50)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler Primer (PR50)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy

Primer: BEHR PRO® Block Filler Primer (PR50)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Primer: BEHR PRO® Block Filler Primer (PR50)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

High Performance Architectural, Low Odor/VOC: (Pool Areas)

Eggshell Finish: Waterborne Epoxy

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish: Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



CONCRETE FLOORS – PAINTED LIGHT DUTY FOOT TRAFFIC

Concrete, New or Existing Painted Surfaces

Smooth, Water-Based: Low Odor/ VOC Coating:
 Low-Lustre Finish
 First Coat: BEHR® Concrete & Masonry Bonding Primer (880)
 Two Coats: BEHR® Porch & Patio Low-Lustre Paint (6050)

Concrete, New or Existing Painted Surfaces

Anti-Slip, Water-Based, Low Odor/ VOC Coating:
 Low-Lustre Finish,
 First Coat: BEHR® Concrete & Masonry Bonding Primer (880)
 Two Coats: BEHR® Porch & Patio Anti-Slip Textured Low-Lustre Paint (6250)

CONCRETE FLOORS - PAINTED, MEDIUM - HEAVY TRAFFIC (CORRIDORS, CAFETERIA, KITCHEN, LABS, RESTROOMS)

Concrete: Previously Painted

Water-Based, Catalyzed Aliphatic Polyurethane Coating: Low Odor/VOC

High Gloss Finish

First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
 Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
 Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
 Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
 Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Concrete: Not Painted

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

High Gloss Finish

First Coat: Monochem 21 Epoxy Primer (2121)
 Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)
 Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

First Coat: Monochem 21 Epoxy Primer (2121)
 Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)
 Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

WOOD – INTERIOR STAINED AND TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

Stain Coat: BEHR® Fast Drying Water – Based Wood Stain (B4500)
 Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)

WOOD – INTERIOR CLEAR TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)



EXTERIOR PAINT SCHEDULE 09 9113 EXTERIOR PAINTING

CONCRETE

Precast, Poured in Place and Tilt-Up Concrete – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

High Build Waterproofing Coating

Flat Finish

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR® Exterior High Build Coating (4700)

Third Coat: BEHR® Exterior High Build Coating (4700)

STUCCO AND CEMENT PLASTER

Stucco, EIFS and Cement Plaster – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

High Build Waterproofing Coating

Flat Finish

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR® Exterior High Build Coating (4700)

Third Coat: BEHR® Exterior High Build Coating (4700)

FIBER CEMENT: PRE-PRIMED

Fiber Cement – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)



CONCRETE MASONRY UNITS (CMU)

Concrete Block and Cinder Block – Walls

Flat Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE, UNFINISHED DECKS, STONE AND BRICK

Exterior Concrete: Horizontal and Vertical Surfaces

Clear, Water-Based Sealer and Waterproofer:

- First Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)
- Second Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)

WOOD – INTERIOR STAINED AND TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

Stain Coat: BEHR® Fast Drying Water – Based Polyurethane Wood Stain (B4500)

- Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 - a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 - b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 - c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 - d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)

WOOD – INTERIOR CLEAR TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

- Three Coats: BEHR® Fast Drying Water – Based Polyurethane
 - a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
 - b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
 - c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
 - d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)



WOOD:

Wood and Wood Composites: Painted

Flat Finish

- First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
- Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

- First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
- Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

- First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
- Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

FERROUS METAL: STEEL AND WROUGHT IRON

Eggshell Finish – Light Industrial Coating

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss Finish – Light Industrial Coating

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

NON-FERROUS METAL: GALVANIZED METAL, ALUMINUM AND BRASS

Eggshell Finish – Light Industrial Coating

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)



Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

